



# LVT PRODUCT CATALOG





## PRODUCT SPECIFICATIONS

• **THICKNESS** – 2.0 mm & 3.0mm

• WEAR LAYER - 0.5mm

• APPLICATION METHOD - Glue down

• **SURFACE TEXTURE** – Wood grain

• SURFACE TREATMENT - UV coating

• **PLANK SIZE** - 6" X 36" | 152.4 mm X 914.4 mm

• AREA OF 1.5 SQ.FT PER PLANK

**VISIT** Luxury Vinyl Tiles





## PRODUCT CHARACTERISTICS

- WATERPROOF
- ANTI SLIP
- FIRE RETARDANT
- LIGHT WEIGHT
- QUIET AND SOFT UNDERFOOT
- SAFETY AND ENVIRONMENTAL FRIENDLY
- REALISTIC NATURAL WOOD DESIGNS
- SUPER WEAR RESISTANCE
- EASY AND QUICK INSTALLATION
- STRONG PRESSURE BEARING
- FLEXIBILITY
- EASY MAINTENANCE



**LVT** 801



**LVT** 802



**LVT** 803



**LVT** 804





**LVT** 805



**LVT** 807



**LVT** 806



**LVT** 808





**LVT** 809



**LVT** 810



**LVT** 811



**LVT** 812





**LVT** 813



**LVT** 815



**LVT** 814



**LVT** 816





**LVT** 817





**LVT** 818



**LVT** 820





**LVT** 821



**LVT** 822



**LVT** 825



**LVT** 826





**LVT** 827



**LVT** 829



**LVT** 828




**LVT** 830





**LVT** 831



**LVT** 833



**LVT** 832



**LVT** 834





**LVT** 835



**LVT** 837



**LVT** 836



**LVT** 838





**LVT** 841



**LVT** 842





• **SIZE** - 300 x 300 / 600 x 600 / 450 x 900

• THICKNESS - 2mm









• **SIZE** - 300 x 300 / 600 x 600 / 450 x 900

• THICKNESS - 2mm









• **SIZE** - 300 x 300 / 600 x 600 / 450 x 900

• THICKNESS - 2mm









• **SIZE** - 300 x 300 / 600 x 600 / 450 x 900

• THICKNESS - 2mm









Manufactured & Marketed by

## GLOBAL VINYL (PVT) LTD.

**SHOWROOM** 

No 102, Havelock road, Colombo 05.

- (+94)77 238 4629
- projects@globalvinyl.lk
- www.globalvinyl.lk