

43
YEARS
TRUSTED EXPERIENCE



G FLOOR

LUXURY
SPC
FLOORING

PRODUCT CATALOG

SUSTAINABILITY OF VINYL FLOORING




At GFloor, we care about our planet and people. We are dedicated to protecting and enhancing our planet and our place in it through sustainability, transparency and innovation.

Our floors are safe, healthy and phthalate-free. They are easy to clean using a minimum amount of water and no harmful chemicals, ensuring minimal impact on the environment throughout its life. Our floors are also fully recyclable.

Our production plants are certified with ISO 9001, is testament of our commitment to providing the highest quality products in the most sustainable manner possible.

LAYER STRUCTURE



KEY FEATURES



Water Proof



Fire Retardant



Slip Resistance



Easy to Maintain



Scratch Resistance



Easy Installation



Eco Friendly

INTERLOCK SYSTEM

G floor SPC uses a special interlocking system. Our floors have a 'click locking' system where it fits two panels together effortlessly using a tongue and groove model. This enables the finished floor to look very neat and seamless.



DARK WALNUT

Dimensions: (L x W x H)
1220 x 183 x 5.5 mm / 20 mil



GF-24001

PINEWOOD

Dimensions: (L x W x H)
1220 x 183 x 5.5 mm / 20 mil



GF-24002

SIERRA OAK

Dimensions: (L x W x H)
1220 x 183 x 5.5 mm / 20 mil



GF-24003

ALMOND WHITE

Dimensions: (L x W x H)
1220 x 183 x 5.5 mm / 20 mil



GF-24004

ANTIQUE WALNUT

Dimensions: (L x W x H)
1220 x 183 x 5.5 mm / 20 mil



GF-24005

HAZELNUT

Dimensions: (L x W x H)
1220 x 183 x 5.5 mm / 20 mil



GF-24006

SANDSTONE OAK

Dimensions: (L x W x H)
1220 x 183 x 5.5 mm / 20 mil



GF-24007

RUSTIC GREY

Dimensions: (L x W x H)
1220 x 183 x 5.5 mm / 20 mil



GF-24008

CLASSIC WALNUT

Dimensions: (L x W x H)
1220 x 183 x 5.5 mm / 20 mil



GF-24009

NORDIK OAK

Dimensions: (L x W x H)
1220 x 183 x 5.5 mm / 20 mil



GF-24010

HERITAGE TEAK

Dimensions: (L x W x H)
1220 x 183 x 5.5 mm / 20 mil



GF-24011

DRIFTWOOD OAK

Dimensions: (L x W x H)
1220 x 183 x 5.5 mm / 20 mil



GF-24012

Why Choose



LUXURY SPC FLOORING




Anti Slippery

"Experience safety and style with SPC flooring as its anti-slip features ensure secure footing, making it the ideal choice for spaces that prioritize both aesthetics and precaution."



Fire Resistant

"Secure elegance with SPC flooring as it is fire-resistant and stylish. Elevate your space with confidence, knowing it combines safety and aesthetics for enduring beauty and protection."



Sound Insulation

Silence with style as we are noise-proof features create tranquil spaces, ensuring a serene environment with every step. Elevate with quiet elegance.



Stain Resistant

Experience the stylish and stress-free charm of SPC flooring, boasting stain resistance for easy maintenance and allowing you to embrace beauty without worry in every space



Non-Volatile

Craft a safe haven for children with non-volatile SPC flooring. Unleash creativity and playfulness in a secure environment.



This feature makes it the perfect choice for any flooring and better than conventional flooring like tiles or natural stones.

Exceptional Features

Our SPC flooring has multiple excellent features that prove our world-class quality and ensure its long life and aesthetic appeal.



Water Resistant

SPC flooring, with its water-resistant marvel, transforms spaces seamlessly, ensuring durability and beauty even in the face of moisture challenges.



Highly Durable

"Unmatched durability defines SPC flooring. Elevate your spaces with a flooring solution that withstands the test of time, promising enduring excellence and style at every step.



Easy to Install

Effortless transformations with SPC flooring as it is easy to install, simplifying the process for a swift and stress-free upgrade to stylish and durable interiors.



Scratch Resistant

SPC flooring is a resilient choice with scratch-resistant brilliance. Embrace a worry-free experience as every step maintains the pristine appeal, ensuring enduring beauty in every space.





LUXURY
SPC
FLOORING



Manufactured & Marketed by

GLOBAL VINYL (PVT) LTD.

Showrooms

102, Havelock Road, Colombo 05, Sri Lanka.

267, Nawala Road, Nawala, Sri Lanka.

  (+94) 77 238 4625  info@globalvinyl.lk

 www.gfloor.lk

 www.facebook.com/globalvinyl

 www.instagram.com/gfloorsl

